

INDEX MAPS.

T. 5N, R. 2E. 2nd Mer.

	200	200	199-201	199-201	199-201	199-201						
203	6	221	5	218	4	214	3	210	2	207	1	199
	222		221		217		214		210		206	
203	7	221	8	217	9	213	10	210	11	206	12	198
	222		221		217		213		209		206	
212	18	220	17	216	16	213	15	209	14	205	13	198
	222		220		216		212		209		205	
202	19	220	20	216	21	212	22	208	23	205	24	198
	223		219		215		212		208		204	
202	30	219	29	215	28	211	27	208	26	204	25	197
	223		219		215		211		207		204	
201	31	218	32	214	33	211	34	207	35	203	36	197
	195-196		195-196		195-196		195-196		195-196		195-197	

T. 6N, R. 2E. 2nd Mer.

	231	230	230	230	229	229						
132	6	250	5	247	4	243	3	240	2	236	1	229
	251		250		246		243		239		236	
132	7	250	8	246	9	243	10	239	11	236	12	228
	251		249		246		242		239		235	
132	18	249	17	245	16	242	15	238	14	234	13	228
	251		249		245		242		238		235	
132	19	248	20	245	21	241	22	238	23	234	24	228
	252		248		245		241		237		234	
231	30	248	29	244	28	241	27	237	26	234	25	227
	252		247		244		240		237		233	
231	31	247	32	244	33	240	34	237	35	233	36	227
	225-226		225-226		225-226		225-226		225-227		225-227	

(P) The figures on the lines refer to the page.

Township N. 6. North, Range N. 2 East 2. Mer. Indiana

South Boundary

West 1st Mile on Random between Towns 5 & 6 N. 12 E.

40.00 Set tempf. 1/2 mile post

80.00 Set tempf. mile post

Land rolling, timber Beech, Poplar &c.

West 2nd mile on Random between Towns 5 & 6, N 12 E.

40.00 Set tempf. q. Sec. post

65.00 a Brook 20 lks. wide Cr. S. W.

80.00 Set tempf. mile post.

Land bushy and hilly, timber the same

West 3rd Mile on Rand^m. betwⁿ. Towns 5 & 6, N. 12 E.

12.00 a Brook 25 lks. wide Cr. S. W.

39.50 Same 25 " " " S. W.

40.00 Set tempf. q. Sec. post

66.30 a Brook 10 lks. wide Cr. at the bottom of

80.00 Set tempf. mile post - Land the same. ^{which is Soapstone}

West 4th Mile on Rand^m. between Towns 5 & 6 N. 12 E.

40.00 Set tempf. q. Sec. post

80.00 Set tempf. mile post.

Land good for farming, timb. Beech, Sugar Oak &c.

West 5th Mile on Random betwⁿ. Towns 5 & 6 N. 12 E.

40.00 Set tempf. q. Sec. post

80.00 Set tempf. mile post

Land timber &c. same as on the last mile

West 6th Mile on Rand^m. betwⁿ. Towns 5 & 6 N. 12 E.

26.00 a Brook 10 lks. wide Cr. South

40.00 Set tempf. q. Sec. post

63.57 Hill S. of Town Corner. Land rich, Sugar, Beech &c.

T6N. R2E, 2^d. Mer. Indiana

variation 6.20. E.

East On true line S. boundary Sec. 31, T6N. R2E.
 23.57 Set the q. Sec. post on true line, from which
 a Beech 8 in. dia. bears N39W 6 lks. dist. of
 a Do 8 " " " S69W 36 " "
 63.57 Set a post Cor. to Sec. 31 & 32, from which
 an Ironwood 6 in. dia. bears N83E 13 lks. dist. of
 a Dogwood 8 " " " N44W 5 " "

East On S. boundary of Sec. 32, T6N. R2E.
 40.00 Set the q. Sec. post on true line from which
 a Sassafras 8 in. dia. bears N80E 27 lks. dist. of
 a Beech 12 " " " S69W 8 " "
 80.00 Set a post Cor. to Sec. 32 & 33, from which
 a Beech 12 in. dia. bears N71E 29 lks. dist. of
 a Do 12 " " " N11E 7 " "

East On true line S. boundary of Sec. 33, T6N. R2E.
 40.00 Set the q. Sec. post on true line from which
 a Beech 12 in. dia. bears N43W 2 lks. dist. of
 a Gum 12 " " " N53E 9 " "
 80.00 Set a post Cor. to Sec. 33 & 34, from which
 a Beech 12 in. dia. bears N43E 13 lks. dist. of
 a Sugar 12 " " " N71W 32 " "

East On true line S. boundary of Sec. 34, T6N. R2E.
 40.00 Set the q. Sec. post on true line, from which
 a W. Walnut 10 in. dia. bears N2E 9 lks. dist. of
 a Sugar 20 " " " S59E 19 " "
 80.00 Set a post Cor. to Sec. 34 & 35, from which
 a Beech 20 in. dia. bears S59E 14 lks. dist. of
 a Do 10 " " " N18W 29 " "

T6 N. R2 E. 2^d Mer. Indiana

East On true line on S. boundary Sec. 35, T6 N. R2 E.
 40.00 At the q. Sec. post, on true line, from which
 a Beech 12 in. dia. bran N 28° W 12 lks. dist. of
 a Do — " " " N 77° W 37 " "
 80.00 At a post Cor. to Sec. 35 & 36, from which
 a Dogwood 6 in. dia. bran N 12° W 21 lks. dist. of
 an Ironwood " " " N 80° W 20 " "

East On true line S. boundary of Sec. 36, T6 N. R2 E.
 40.00 At the q. Sec. post on true line, from which
 a Beech 10 in. dia. bran N 11° W 20 lks. dist. of
 a Do 10 " " " N 2 E 32 " "
 80.00 to the Town Corner.

East Boundary var. 5° 00' E.
 North On E. boundary of Sec. 36, T6 N. R2 E.
 9.20 at Beech 20 in. dia.
 16.70 a Brook 10 lks. wide E. & W.
 40.00 At the q. Sec. post, from which
 a Sugar 12 in. dia. bran N 61° W 22 lks. dist. of
 an Ironw. 6 " " " N 71° E 21 " "
 60.30 a Sugar 20 " "
 76.00 a Brook 8 lks. wide E. & W.
 80.00 At a post Cor. to Sec. 25 & 36, from which
 a Beech 15 in. dia. bran N 44° W 32 lks. dist. of
 a Do 15 " " " N 24° W 12 " "
 Land rolling, timber Beech, Sugar, Poplar &c.

North On E. boundary of Sec. 25, T6 N. R2 E.
 30.50 at Brook 10 lks. wide E. & W.
 40.00 At the q. Sec. post, from which
 a Beech 10 in. dia. bran S 58° E 13 lks. dist. of
 a Dogw. 5 " " " N 66° W 20 " "

T6 N. R2 E. 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 24 & 25, from which
a Beech 15 in. dia. bray S 97° 20' W 120 lbs. dist. 8
a Do 15 " " " S 70° 12' W " "
Good farming land, timber the same

North On E. boundary of Sec. 24, T6 N. R2 E.

40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. bray S 84° 1' W 141 lbs. dist. 8
a Dogwood 6 " " " S 58° 11' W 13 " "

80.00 Set a post Cor. to Sec. 13 & 24, from which
a W. Ash 6 in. dia. bray N 28° 11' W 21 lbs. dist. 8
a Dogwood 6 " " " S 78° E 2 " "
Land rolling, timber Oak & Hickory

North On E. boundary of Sec. 13, T6 N. R2 E.

39.00 a Brook 10 lbs. wide Cr. N. E.

40.00 Set the q. Sec. post, from which
a Sugar 10 in. dia. bray N 25° 11' W 48 lbs. dist. 8
a Do 6 " " " N 63° E 32 " "

80.00 Set a post Cor. to Sec. 12 & 13, from which
a Gum 12 in. dia. bray S 9° E 32 lbs. dist. 8
a B. Oak 8 " " " N 9° 11' W 54 " "

This mile over very high hills, soil thin,
timber Oak and Hickory.

North On E. boundary of Sec. 12, T6 N. R2 E.

40.00 Set the q. Sec. post, from which
a B. Oak 6 in. dia. bray S 41° E 21 lbs. dist. 8
a Do 8 " " " N 23° E 10 " "

80.00 Set a post Cor. to Sec. 1 & 12, from which
a Sugar 12 in. dia. bray S 41° 11' W 30 lbs. dist. 8
a Beech 10 " " " N 66° E 11 " "

Land timber &c. same as on the last mile.

227

T6N R2E T. Mer. Indiana

North On E. boundary of Sec. 1, T6N, R2E

16.00 a Brook 18 lks. wide C.L. N.E.

40.00 Set the q. Sec. post, from which
a Hickory 10 in. dia. beam N1E 39 lks. distant.

80.00 Set temp. post at the exact 6 miles from the S.E. cor.

Surveyed by Arthur Kenzie, A.S., in 1810 - Continued

By Alexander Holmes, A.S. March 25, 1811.

86.00 Intersected my west line 9.00 E. of temp. post.

Set a post Cor. to Town 6 & 7 N. Range 2 & 3 E. from which

a Beech 16 in. dia. beam N13W 16 lks. dist.

a W. Oak 16 " " " N53W 51 " "

This mile over hilly & brushy land thin Soil.

North Boundary. March 25th 1811

Ascertained the variation to be 6.15' E.

West 1st Mile between Town 6 & 7 N. Range 2 E.

11.00 a Brook 8 lks. wide C.L. N.E.

24.00 a Do 3 lks. " " S.E.

26.00 a Sugar 12 in. dia.

40.00 Set the q. Sec. post, from which

a W. Oak 16 in. dia. beam N86E 43 lks. dist.

80.00 Set a post Cor. to Sec. 35 & 36, T7N, R2E, from which

a P. Oak 36 in. dia. beam N15W 11 lks. dist.

a Do 6 " " " N15W 10 " "

hilly poor Oak land

West 2nd Mile between Town 6 & 7 N. Range 2 E.

18.00 a Brook 40 lks. wide C.L. N.E.

22.00 left Do

30.00 a Brook 6 lks. wide C.L. S.E.

40.00 Set the q. Sec. post from which

a Beech 18 in. dia. beam S56E 32 lks. dist.

a Sugar 6 " " " N35W 27 " "

T6N R2E. 2^d Mer. Indiana

80.00 Set a post Cor. to Secs. 34 & 35, T7N. R2E, from which
a Gum 30 in. dia. bears S61°W 34 lks. dist. &
no other timber near.

Hilly land timber Oak, Beech & Sugar

West 3rd mile between Towns 6 & 7, R2E.

40.00 Set the q. Sec. post, from which
a Poplar 36 in. dia. bears S20°W 7 lks. dist. &
a P. Oak 16 " " " N81°E " "

60.00 a Brook 3 lks. wide Cr. N.E.

80.00 Set a post Cor. to Secs. 33 & 34, T7N. R2E, from which
a Chestnut Oak 30 in. dia. bears N77°W 7 lks. dist. &
a Do 12 " " " N49°E 15 " "
Hilly Oak land.

West 4th mile between Towns 6 & 7, R2E.

Overhills & rough land Oak, Chestnut &c

40.00 Set the q. Sec. post, from which
a Hickory 24 in. dia. bears N4°E 8 lks. dist. &
a Ches. Oak 12 " " " S17°E 17 " "

58.00 a Brook 3 lks. wide Cr. N.W.

80.00 Set a post Cor. to Secs. 32 & 33, T7N. R2E, from which
a Ches. Oak 18 in. dia. bears S75°E 9 lks. dist. &
a Dogwood 5 " " " N57°W 8 " "
Hilly and Brush.

West 5th mile between Towns 6 & 7, R2E.

10.00 a Brook 3 lks. wide Cr. N.

25.00 a Do 3 lks. " " N.

40.00 Set the q. Sec. post, from which
a W. Oak 10 in. dia. bears N20°E 11 lks. dist. &
a P. Oak 18 " " " S40°E 13 " "

80.00 Set a post Cor. to Secs. 31 & 32, T7N. R2E, from which

T6 N R2 E. 2^d Mer. Indiana

a P. Oak 18 in. dia. bear S70 E 19 lks. dist. of
a W. Oak 8 " " " N84 W 34 " "

Hilly Oak Land.

West 6th Mile between Towns 6 & 7 N. Range 2 E.

40.00 Let the q. Sec. post, from which
a Hickory 7 in. dia. bear S55 W 25 lks. dist. of
a do 7 " " " N63 E 31 " "

61.00 a Creek 50 lks. wide Cr. S. W.

80.00 Let Temp. Town Cor. The true distance of the
6th mile, or S. boundary of Sec. 31. T7 N. R2 E. is 62.50
for the bearings, See page 233

Surveyed in 1844, by Alexander Holmes, L.S.

West Boundary var. 7° 30' E

North On E. boundary of Sec. 36, T6 N. R1 E.

24.25 a Poplar 40 in. dia.

40.00 Let the q. Sec. post, from which
a Beech 8 in. dia. bear S56 E 8 lks. dist. of
a Sugar 12 " " " N71 W 11 " "

64.53 a. W. Oak 20 " "

80.00 Let a post Cor. to Sec. 25 & 36, T6 N. R1 E. from which
a Beech 12 in. dia. bear S38 E 14 lks. dist. of
a W. Ash 12 " " " N39 W 16 " "
Good farming land.

North On E. boundary of Sec. 25, T6 N. R1 E.

28.50 a Brook 25 lks. wide Cr. W.

40.00 Let the q. Sec. post, from which
a Logwood 6 in. dia. bear S46 E 5 lks. dist. of
a W. Oak 24 " " " N46 W 14 " "

46.60 a Poplar 30 " "

52.00 a Brook 12 lks. wide Cr. W.

T6 N. R2 E. 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 24 & 25, T6 N. R1 E, from which
 a Beech 12 in. diam. bears N 83 E 31 lks. dist. of
 a W. Oak 12 " " " N 32 E 20 " "
 Land timbered. Same as on the last mile

North On E. boundary of Sec. 24, T6 N. R1 E.

40.00 Set the q. Sec. post, from which
 a Hickory 12 in. diam. bears N 80 E 12 lks. dist. of
 a Beech 15 " " " N 18 E 22 " "

80.00 Set a post Cor. to Sec. 13 & 24, T6 N. R1 E, from which
 a P. Oak 8 in. diam. bears N 3 E 5 lks. dist. of
 a Do 8 " " " S 56 N 6 " "
 Land hilly thin Soil very bushy with Oak.

North On E. boundary of Sec. 13, T6 N. R1 E.

40.00 Set the q. Sec. post, from which
 an Elm 10 in. diam. bears N 44 W 11 lks. dist. of
 a Do 8 " " " N 13 W 11 " "

40.50 a Brook 30 lks. wide C. S. W.

52.30 W. Oak 30 in. diam.

80.00 Set a post Cor. to Sec. 12 & 13, T6 N. R1 E, from which
 a W. Oak 12 in. diam. bears S 59 W 4 lks. dist. of
 a Sugar 8 " " " S 64 W 14 " "
 Land hilly and bushy thin Soil

North On E. boundary of Sec. 12, T6 N. R1 E.

40.00 Set the q. Sec. post, from which
 a Sugar 10 in. diam. bears N 77 E 28 lks. dist. of
 a Beech 10 " " " N 17 E 21 " "

40.50 a Brook 20 lks. wide C. W.

80.00 Set a post Cor. to Sec. 1 & 12, T6 N. R1 E, from which
 a Hickory — in. diam. bears S 50 W 25 lks. dist. of
 a Beech 20 " " " N 28 E 13 " "

T6 N. R2 E. 2^d. Mer. Indiana 233

Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T6 N. R1 E.

40.00 Set the q. Sec. post, from which

a W. Oak 20 in. diam. bears S22 W 8 lks. dist. &

a Hickory 6 " " " N22 W 4 " "

80.00 Set a post at the distance of 6 miles from the South boundary - Surveyed in 1810, by A. Hennie, D.S.

Continued by Alexander Holcomb, D.S. March 1811.

84.00 a Creek 50 lks. wide Cr. S. W.

85.00 Intersected the N. boundary 17.50, E. of temp.

post. Set a post Cor. to Town 6 & 7 N. Range 1 & 2 E. from which a Sugar 16 in. diam. bears S32 E 11 lks. dist. &

a Hickory 14 " " " N14 E 28 " "

Land timber &c. Same as on the last mile

Comp

Subdivision.

North Between Sec. 35 & 36, T6 N. R2 E.

26.50 a Brook 10 lks. wide Cr. W

40.00 Set the q. Sec. post, from which

a Sugar 20 in. diam. bears S49 W 17 lks. dist. &

a Beech 18 " " " S60 E 6 " "

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which

a Beech 20 in. diam. bears S69 W 33 lks. dist. &

a Dogw. 6 " " " N77 E 3 " "

Land rich and rolling, timber Sugar, Beech, Ash &c.

East On Random between Sec. 25 & 36, T6 N. R2 E.

40.00 Set temp. q. Sec. post

80.10 Intersected the E. boundary 12 lks. S. of Corner.

Land, timber &c. Same as on the last mile

West On true line between Sec. 25 & 36, T6 N. R2 E.

T6 N R2 E. 2^d. Mer. Indiana

40.05 Let q. Sec. post at av. dist. from which
 a Beech 12 in. diam. bears N47°W 15 lks. dist. &
 a do 24 " " " N66 E 27 " "
 80.10 to Sec. Corner

North Between Secs. 25 & 26, T6 N. R2 E.

1.50 a Brook 15 lks. wide Cr. W.
 19.00 a Brook 20 " " " S. W.
 40.00 Let a post for q. Sec. Cor. from which
 a Beech 10 in. diam. bears S10 E 16 lks. dist. &
 a Sugar 20 " " " S23 W 11 " "
 80.00 Let a post Cor. to Secs. 23, 24, 25 & 26, from which
 a Beech 10 in. diam. bears S46 E 5 lks. dist. &
 a do 24 " " " S85 W 40 " "
 Land, timber &c. same as on the last mile.

East On Random between Secs. 24 & 25, T6 N. R2 E.

40.00 Let temp. q. Sec. post
 80.04 Intersected the E. boundary 12 lks. N. of Cor.
 Land timber &c. same as on the last mile

West On true line between Secs. 24 & 25, T6 N. R2 E.

40.02 Let q. Sec. post at average dist. from which
 a Sugar 12 in. diam. bears S20 E 5 lks. dist. &
 a Beech 10 " " " N20 W 40 " "
 80.04 to Sec. Corner.

North Between Secs. 23 & 24, T6 N. R2 E.

34.30 a W. Oak 20 in. diam.
 40.00 Let the q. Sec. post, from which
 a Beech 20 in. diam. bears N65 W 12 lks. dist. &
 a Dogwood 6 " " " N50 E 12 " "
 80.00 Let a post Cor. to Secs. 13, 14, 23 & 24, from which

T6 N. R2 E. T. Mer. Indiana

a Beech 10 in. dia. bray S6 E 33 lbs. dist. 5'
 a Do 6 " " " N27 W 10 " "
 Land level, timber same as on the last mile

East On Random between Sec. 13 & 24, T6 N. R2 E.
 40.00 Set temp. q. Sec. post
 79.88 Intersected the N. & S. line 14 lbs. ~~dist.~~ North of Cor.
 Land timber &c. same as on the last mile

West Between Sec. 13 & 24 on true line
 39.94 Set q. Sec. post at avg. dist. from which
 a Maple 10 in. dia. bray S15 W 6 lbs. dist. 5'
 a Beech 8 " " " N23 W 5 " "
 79.88 to Sec. Corner.

North Between Sec. 13 & 14, T6 N. R2 E
 40.00 Set the q. Sec. post, from which
 a Maple 10 in. dia. bray S19 W 16 lbs. dist. 5'
 a Beech 10 " " " N36 W 30 " "
 56.00 a Brook 5 lbs. wide C. S. E.
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 a D. Oak 10 in. dia. bray S9 W 30 lbs. dist. 5'
 a Hickory 6 " " " N10 E 42 " "
 Land very hilly thin Soil.

East On Random between Sec. 12 & 13, T6 N. R2 E.
 40.00 Set temp. q. Sec. post
 79.98 Intersected the E. boundary 10 lbs. S. of the Corner
 Land timber &c. same as on the last mile.

West On true line between Sec. 12 & 13, T6 N. R2 E.
 39.99 Set q. Sec. post at avg. dist. from which
 a Maple 12 in. dia. bray West 50 lbs. dist.

St. N. R2 E. 2^d. Mer. Indiana

79.98 to the Section Corner.

North Between Sec. 1 & 12, St. N. R2 E. 2^d. Mer.

40.00 Set the q. Sec. post, from which

a B. Oak 10 in. diam. bear S39°W 20 lks. dist. of
a Hickory 8 " " " N55°E 5 " "

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which

a B. Oak 12 in. diam. bear S56°E 15 lks. dist. of
a Do 6 " " " N36°W 12 " "

Land very hilly, timber, same as on last mile
undubush Oak & Hickory. March 21st 1814

East On Random between Sec. 1 & 12,

40.00 Set temp. q. Sec. post

79.84 Intersected the E. boundary 20 lks. N. of the Corner.

Land &c. same as on the last mile - very hilly.

West On true line between Sec. 1 & 12, St. N. R2 E.

39.92 Set q. Sec. post at average dist. from which

a B. Oak 6 in. diam. bear West 22 lks. dist. of
a Do 20 " " " S83°E 26 " "

79.84 to Sec. Corner.

North Between Sec. 1 & 12, St. N. R2 E. 2^d. Mer.

7.00 a Brook 10 lks. wide Ct. N.E.

32.50 a W. Oak 20 in. diam.

40.00 Set the q. Sec. post, from which

a Gum 10 in. diam. bear N63°W 13 lks. dist. of
a Hick. 6 " " " S28°E 9 " "

87.30 Intersected the N. boundary 125 lks. E. of the Corner

Set a post Cor. to Sec. 1 & 12, from which

a Gum 10 in. diam. bear S71°E 27 lks. dist. of
a W. Oak 8 " " " S71°W 25 " "

T6 N. R2 E. 2^d. Mer. Indiana

Sand timber &c. Same as on the last mile

North Between Secs. 34 & 35, T6 N. R2 E.

40.00 Set the q. Sec. post, from which

a Sassafras 10 in. dia. beam S86°W 5 lks. dist. &

a do 10 " " " N75°E 12 " "

45.00 a Brook 8 lks. wide Cr. S. W.

80.00 Set a post cor to Secs. 26, 27, 33 & 34, from which

a Beech 12 in. dia. beam S70°W 17 lks. dist. &

a do 12 " " " S28°E 20 " "

Sand rolling, timber Beech, Oak & Hickory.

East On Random between Secs. 26 & 35, T6 N. R2 E.

40.00 Set the q. Sec. post

75.00 a Brook 12 lks. wide Cr. S. W.

80.12 Intersected the N & S. line 8 lks. S. of the Corner

Sand timber &c. Same as on the last mile

West On True line between Secs. 26 & 35, T6 N. R2 E.

40.06 Set q. Sec. post at average distance, from which

a Beech 8 in. dia. beam West 1 link distant.

80.12 to Sec. Corner.

North Between Secs. 26 & 27, T6 N. R2 E.

40.00 Set the q. Sec. post, from which

a Beech 10 in. dia. beam N28°W 14 lks. dist. &

a do 10 " " " N30°E 25 " "

80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which

a Maple 16 in. dia. beam N18°W 14 lks. dist. &

a Poplar 40 " " " S45°E 25 " "

Sand timber &c. Same as on the last mile

East On Random between Secs. 23 & 26, T6 N. R2 E.

T6 N. R2 E. 2nd Mer. Indiana

20.00 a Brook 12 lks. wide C. S. W.

40.00 Set temp^y. q^r. Sec. post.

79.92 Intersected the N & S. line 12 lks. S. of the Cor.
Sand, timber &c. Same as on the last mile

West On true line between Sec^s. 23 & 26, T6 N. R2 E

39.96 Set q^r. Sec. post at av^g. dist. from which
a Beech 20 in. diam. bears East 10 lks. dist. &
79.92 to Sec. Cor.

North Between Sec^s. 22 & 23, T6 N. R2 E

40.00 Set the q^r. Sec. post, from which
a Beech 6 in. diam. bears N 20 W 30 lks. dist. &
a Do 10 " " " N 42 E 28 " "

41.00 a Brook 12 lks. wide C. S. W.

79.00 a Do 10 " " " S. W.

80.00 Set a post Cor. to Sec^s. 14, 15, 22 & 23, from which
a Dogwood 6 in. diam. bears N 21 W 22 lks. dist. &
a Beech 20 " " " S 44 W 21 " "
Land rolling, timber Beech, Poplar &c.

East On Random between Sec^s. 14 & 23, T6 N. R2 E.

40.00 Set the q^r. Sec. post (temporary)

80.08 Intersected the N & S. line 8 lks. S. of the Corner
Sand timber &c. Same as on the last mile

West On true line between Sec^s. 14 & 23, T6 N. R2 E.

40.04 Set the q^r. Sec. post at average dist. from which
a Beech 10 in. diam. bears N 65 W 19 lks. dist. &
a Do 20 " " " N 65 E 5 " "

80.08 to Sec. Corner

North Between Sec^s. 14 & 15, T6 N. R2 E. 2nd Mer.

T6 N. R2 E. 2^d. Mer. Indiana

40.00 At the q. Sec. post, from which
a Sugar 10 in. dia. beam N42 W 8 lks. dist. &
a Do 10 " " " N50 E 30 " "

80.00 At a post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 10 in. dia. beam N71 E 5 lks. dist. &
a Do 10 " " " S8 E 30 " "

Land very hilly and very brushy.

East On Random between Sec. 11 & 14, T6 N. R2 E.

40.00 Set temp. q. Sec. post

80.08 Intersected the N & S. line 10 lks. S. of the Corner.

Land, timber &c. Same as on the past mile

West On true line between Sec. 11 & 14, T6 N. R2 E.

40.04 At the q. Sec. post at ar. dist. from which
a W. Oak 18 in. dia. beam N84 E 28 lks. dist. &
a Beech 12 " " " N61 W 25 " "

80.08 to Sec. Cor.

North Between Sec. 10 & 11, T6 N. R2 E. 2^d. Mer.

40.00 At the q. Sec. post, from which
a Dogwood 6 in. dia. beam N50 W 12 lks. dist. &
an Ironwood 6 " " " N87 E 20 " "

80.00 At a post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 8 in. dia. beam N14 W 18 lks. dist. &
a Do 8 " " " N50 W 10 " "

Land very hilly thin Soil.

East On Random between Sec. 2 & 11, T6 N. R2 E

40.00 Set temp. q. Sec. post.

80.06 Intersected the N & S. line 14 lks. N. of the Corner.

Land, timber &c. Same as on the last mile

St. R2E2. Mer. Indiana

West On true line between Sec. 2 & 11, T6 N. R2 E.
 40.03 At the q. Sec. post, at a 9. dist. from which
 a Beech 10 in. diam. bran T37 N 24 lks. dist. &
 a W. Oak 20 " " " N63 E 25 " "
 80.06 to Sec. Corner.

North Between Sec. 2 & 3, T6 N. R2 E. 2. Mer.
 31.00 a Brook 10 lks. wide Cr. N.E.
 40.00 At the q. Sec. post, from which
 a Beech 10 in. diam. bran N28 W 16 lks. dist. &
 a W. Oak 12 " " " S87 W 16 " "
 62.50 a Brook 12 lks. wide Cr. N.E.
 87.50 Intersected the N. boundary 225 lks. E. of Corner
 At a post, Cor. to Sec. 2 & 3, from which
 a Beech 20 in. diam. bran S54 E 12 lks. dist. &
 a Do 20 " " " N28 E 15 " "
 Sandhilly thin Soil. March 20th 1814

North Between Sec. 33 & 34, T6 N. R2 E. 2. Mer.
 17.00 a Brook 10 lks. wide Cr. S. E.
 40.00 At the q. Sec. post, from which
 a Beech 10 in. diam. bran S34 W 27 lks. dist. &
 a Do 10 " " " N68 E 31 " "
 80.00 At a post Cor. to Sec. 27, 28, 33 & 34, from which
 a Beech 20 in. diam. bran S15 E 45 lks. dist. &
 a Do 10 " " " N1 W 28 " "
 Sand rolling, timber Oak, Beech, Poplar & Hickory

East On Rand. betw. Sec. 27 & 34, T6 N. R2 E.
 40.00 At temp. q. Sec. post
 52.50 a Brook 40 lks. wide Cr. S. W.
 80.08 Intersected the N. & S. line 18 lks. N. of the Corner
 Sand, timber &c. same as on the last mile

T6 N. R2 E. 2^d. Mer. Indiana

West On true line between Sec. 27 & 34, T6 N. R2 E.
 40.04 Set q. Sec. post, at av. dist, from which
 a Beech 20 in. dia. bray N 83° W 47 lks. dist. of
 a Ho 12 " " " S 56° E 20 " "
 80.08 to Sec. Corner.

North Between Sec. 27 & 28, T6 N. R2 E. 2^d. Mer.
 12.00 a Beech 20 in. dia. "
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bray S 45° W 11 lks. dist. of
 a Ho 10 " " " N 69° E 16 " "
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Sugar 8 in. dia. bray N 4° W 19 lks. dist. of
 a Beech 12 " " " N 63° W 25 " "
 Land, timber &c. same as on the last mile.

East On Random between Sec. 22 & 27, T6 N. R2 E.
 40.00 Set temp. q. Sec. post
 55.00 a Brook 12 lks. wide Cr. S. W.
 80.10 Intersected the N & S. line 10 lks. N. of corner
 Land, timber &c. same as on the last mile

West On true line between Sec. 22 & 27, T6 N. R2 E.
 40.05 Set q. Sec. post, at av. dist. on true line from
 which a Beech 6 in. dia. bray S 39° E 4 lks. dist. of
 a Ho 6 " " " N 49° W 19 " "
 80.10 to Sec. Corner.

North Between Sec. 21 & 22, T6 N. R2 E.
 5.00 a Brook 12 lks. wide Cr. S. E. at the forks.
 40.00 Set the q. Sec. post, from which
 a W. Oak 20 in. dia. bray S 10° E 38 lks. dist. of
 a Dogwood 6 " " " N 45° E 10 " "

T6 N. R2 E. 2^d Mer. Indiana

80.00 Let a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Dogwood 6 in. diam. bran S 4 E 2 lks. dist. of
 a Beech 20 " " " N 28 E 34 " "
 Land timber &c. same as on the last mile

East On Random between Sec. 15 & 22, T6 N. R2 E.

40.00 Let temp. q. Sec. post

79.94 Intersected the N & S. 18 lks. S. of the corner
 Land, timber &c. same as on the last mile

West On true line between Sec. 15 & 22, T6 N. R2 E.

39.97 Let q. Sec. post at av. dist. from which
 a P. Oak 20 in. diam. bran S 6 E 16 lks. dist. of
 a Beech 6 " " " N 15 E 7 " "

79.94 to Sec. Corner.

North Between Sec. 15 & 16, T6 N. R2 E.

3.20 a W. Oak 20 in. diam.

5.50 a Brook 10 lks. wide C. S. M.

12.00 a do 12 " " " S. W.

40.00 Let the q. Sec. post, from which
 a W. Oak 6 in. diam. bran S 29 W 6 lks. dist. of
 a Sassafras 6 " " " N 62 E 9 " "

53.60 a W. Oak 20 in. diam.

80.00 Let a post Cor. to Sec. 9, 10, 15 & 16, from which
 a W. Oak 12 in. diam. bran S 20 W 34 lks. dist. of
 a Gum 10 " " " N 12 E 25 " "
 Land very hilly, thin Soil.

East On Random between Sec. 10 & 15, T6 N. R2 E.

40.00 Let temp. q. Sec. post

80.06 Intersected the N & S. line 12 lks. S. of corner.
 Land the same thin soil, timber Oak & Hickory

Sec. R2E, 2^d. Mer. Indiana

West On true line between Sec. 10 & 15, T6N. R2E.
 40.03 Set q. Sec. post at average dist. from which
 a B. Oak 6 in. dia. bray West 6 lks. dist. of
 a Beech 5 " " " N59W 4 " "
 80.06 to Sec. Corner.

North Between Sec. 9 & 10, T6N. R2E.
 40.00 Set the q. Sec. post from which
 a B. Oak 20 in. dia. bray S34W 24 lks. dist. of
 a W. Oak 12 " " " " N42E 22 " "
 52.00 a Brook 10 lks. wide Cr. S. W.
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a B. Oak 10 in. dia. bray S35W 16 lks. dist. of
 a Gum 12 " " " " N62E 21 " "
 Land the same as on the last mile

East On Random between Sec. 3 & 10, T6N. R2E
 40.00 Set temp. q. Sec. post ^{line}
 79.96 Intersected the N. & S. 12 lks. N. of the corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 3 & 10, T6N. R2E.
 39.98 Set q. Sec. post, at av. dist. from which
 a W. Oak 20 in. dia. bray N82E 26 lks. dist. of
 a Do 20 " " " " N85W 17 " "
 79.96 to Sec. Corner.

North Between Sec. 3 & 4, T6N. R2E, 2^d. Mer.
 40.00 Set the q. Sec. post, from which
 a B. Oak 12 in. dia. bray S30E 15 lks. dist. of
 a Do 10 " " " " N65W 9 " "
 85.50 Intersected the N. boundary 325 lks. E. of the
 Cor. Set a post Cor. to Sec. 3 & 4, from which

T6 N. R2 E. 2^d. Mer. Indiana

W. Oak 20 in. dia. bray S57 E. 22 lks. dist. of
 a P. Oak 6 " " " N88 W 32 " "
 Land the same March 23. 1814

North Between Sec. 32 & 33, T6 N. R2 E.
 40.00 Set a post for q. Sec. Cor. from which
 a Hickory 10 in. dia. bray S56 W 11 lks. dist. of
 a Sugar 6 " " " N54 W 5 " "
 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Beech 20 in. dia. bray S87 W 25 lks. dist. of
 a Aho 6 " " " S85 E 10 " "
 Land rich, timber Beech &c.

East On Random between Sec. 28 & 33, T6 N. R2 E.
 40.00 Set temp. q. Sec. post
 79.89 Intersected the N & S. line 14 lks. of the Corner
 Land rich, timber Oak, Beech, Poplar, Ash &c.

West On true line between Sec. 28 & 33, T6 N. R2 E.
 39.94 1/2 Set q. Sec. post at av. l. dist. from which
 a Beech 12 in. dia. bray N10 W 8 lks. dist. of
 a Aho 30 " " " S58 E 25 " "
 79.89 to Sec. Corner.

North Between Sec. 28 & 29, T6 N. R2 E.
 40.00 Set the q. Sec. post, from which
 a Poplar 12 in. dia. bray N43 W 7 lks. dist. of
 a Sugar 10 " " " S50 E 25 " "
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 6 in. dia. bray S13 W 9 lks. dist. of
 a Aho 20 " " " East 7 " "
 Land timber &c. same as on the last mile

T6 N. R2 E. 2nd Mer. Indiana

East On Random between Sec. 21 & 28, T6 N. R2 E.

40.00 Set temp. q. Sec. post

80.10 Intersected the N & S. line 30 lks. S. of the corner.

Land hilly, timber Beech, Oak & Hickory

West On true line between Sec. 21 & 28, T6 N. R2 E.

40.05 Set q. Sec. post, at av. dist. from which

a W. Oak 20 in. dia. bray West 50 lks. dist. of

80.10 to Sec. Corner.

North Between Sec. 20 & 21, T6 N. R2 E.

40.00 Set the q. Sec. post, from which

a Beech 8 in. dia. bray N 8 E 38 lks. dist. of

a Do 18 " " " S 50 E 9 " "

80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which

a W. Oak 24 in. dia. bray N 10 E 16 lks. dist. of

a Do 10 " " " S 29 W 15 " "

Land hilly, timber Oak & Hickory.

East On Random between Sec. 16 & 21, T6 N. R2 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 18 lks. S. of the corner

Land timber &c. same as on the east mile

West On true line between Sec. 16 & 21, T6 N. R2 E.

40.00 Set the q. Sec. post at av. dist. from which

a W. Oak 20 in. dia. bray N 47 W 10 lks. dist. of

a Beech 8 " " " S 60 E 5 " "

80.00 to Sec. Corner.

North Between Sec. 16 & 17, T6 N. R2 E.

39.00 a Brook 10 lks. wide at S.W.

40.00 Set the q. Sec. post, from which

Sec. 1 R2E, 2nd Mer. Indiana

a Beech 18 in. dia. bray N50W34k. dist. 5
 a Beech 12 " " " S63W26 " "
 43.00 a Brook 12 k. wide C.S. M.
 80.00 At a post Corner to Sec. 8, 9, 16 & 17, from which
 a Beech 6 in. dia. bray N68W39k. dist. 5
 a Hickory 12 " " " S29E10 " "
 Land very hilly, thin Soil, timber Oak & Hickory

East On Random between Sec. 9 & 16, Sec. 1, R2E,
 40.00 At the temp. 1/4 q. Sec. post.
 80.00 Intersected the N & S. line 12 k. N. of Corner.
 Land timber &c. Same as on the last mile

West On true line between Sec. 9 & 16, Sec. 1, R2E,
 40.00 At the q. Sec. post at av. 7. dist. from which
 a W. Oak 6 in. dia. bray N49W9k. dist. 5
 a Do 6 " " " S12E11 " "
 80.00 Sep. Corner.

North Between Sec. 8 & 9, Sec. 1, R2E,
 15.00 a Brook 12 k. wide C.S. M.
 40.00 At the q. Sec. post, from which
 a W. Oak 20 in. dia. bray N31W26k. dist. 5
 a Hickory 6 in " " " N24E13 " "
 80.00 At a post Corner to Sec. 4, 5, 8 & 9, from which
 a B. Oak 10 in. dia. bray N66E18k. dist. 5
 a W. Walnut 6 " " " N20W30 " "
 Land, timber &c. Same as on the last mile

East On Random between Sec. 4 & 9, Sec. 1, R2E,
 27.00 a Brook 12 k. wide C.S. M.
 40.00 At temp. 1/4 q. Sec. post
 80.50 Intersected the N & S. line 18 k. N. of Corner.

T6 N. R2 E. 2^d Mer. Indiana

Land timber &c. Same as on the last mile

West On true line between Sec. 4 & 9, T6 N. R2 E.
 40.25 Set of Sec. post at ar. dist. from which
 a W. Oak 20 in. diam. bray N 88 W 25 lks. dist. of
 a Gum 12 " " " N 28 E 10 " "
 80.50 to Sec. Corner.

North Between Sec. 4 & 5, T6 N. R2 E.
 40.00 Set the of Sec. post, from which
 a Beech 10 in. diam. bray N 15 W 20 lks. dist. of
 a W. Oak 8 " " " S 20 E 9 " "
 85.60 Set a post Cor. to Sec. 4 & 5 on the N. boundary
 4.50 lks. E. the Corner, from which
 a W. Oak 12 in. diam. bray N 50 E 4 lks. dist. of
 a Do 20 " " " S 45 E 50 " "
 Land the same. March 24th 1814.

North Between Sec. 31 & 32, T6 N. R2 E.
 13.50 a Brook 8 lks. wide C. S. S. W.
 22.20 a Beech 20 in. diam.
 40.00 Set the of Sec. post, from which
 a Sugar 6 in. diam. bray East 23 lks. dist. of
 a Do 20 " " " S 60 W 5 " "
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Poplar 40 in. diam. bray N 15 E 22 lks. dist. of
 a W. Oak 30 " " " S 84 W 24 " "
 Land rolling, timber, Beech, Poplar, Sugar &c.

East On Random betw. Sec. 29 & 32, T6 N. R2 E.
 40.00 Set the of Sec. post. temporary
 79.88 Intersected the N & S. line at the Corner
 Land timber &c. Same as on the last mile

T6 N. R2 E. 2^d Mer. Indiana

West On true line between Secs. 29 & 32

39.94 Set a post at arf. dist. on true line for q. Sec. Corner, from which.

a Sugar 10 in. dia. bray West 22 lks. dist. of

a Beech 6 " " " N 60 W 11 " "

79.88 to Sec. Corner.

North Between Secs. 29 & 30, T6 N. R2 E.

40.00 Set the q. Sec. post, from which

a Maple 12 in. dia. bray N 6 E 11 lks. dist. of

a Beech 10 " " " S 88 E 18 " "

48.50 a Brook 18 lks. wide Cr. S. W.

80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from

which a Beech 20 in. dia. bray N 18 W 34 lks. dist. of

a Do 12 " " " N 54 W 34 " "

Sand, timber &c. same as on the last mile

East On Land^m. betw. Secs. 20 & 29, T6 N. R2 E.

20.00 a Brook 10 lks. wide Cr. S. W.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 12 lks. S of Corner

Sand timber &c. same as on the last mile

West On true line between Secs. 20 & 29, T6 N. R2 E.

40.00 a Beech 6 in. dia. for q. Sec. Cor. at arf. distance on true line.

80.00 to Sec. Corner.

North Between Secs. 19 & 20, T6 N. R2 E.

40.00 Set the q. Sec. post, from which

a W. Oak 10 in. dia. bray N 2 E 29 lks. dist. of

a Dogwood 6 " " " N 43 E 8 " "

80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which

Sec. 17 & 20, T. 2 N., R. 2 E., Mer., Indiana

a Sugar 12 in. dia. brang N 33° W 12 lks. dist. of
 a W. Walnut 8 " " " S 60° W 8 " "
 Land very hilly & brushy, Oak & Hickory

East On Rand. between Sec. 17 & 20, T. 2 N., R. 2 E.

40.00 Set temp. of Sec. post

50.00 at Brook 12 lks. wide cr. N.

80.00 Intersected the N & S. line 15 lks. S. of the corner.

Land timber &c. same as on the last mile

West On true line between Sec. 17 & 20, T. 2 N., R. 2 E.

40.00 Set of Sec. post at ar. dist. from which

a Red bud 8 in. dia. brang N 89° W 37 lks. dist. of

a W. Walnut 8 " " " N 15° W 26 " "

80.00 to Sec. Corner.

North Between Sec. 17 & 18, T. 2 N., R. 2 E.

17.75 at Brook 40 lks. wide cr. West

40.00 Set the of Sec. post, from which

a Beech 10 in. dia. brang S 3 E 18 lks. dist. of

a Do 18 " " " S 67 E 11 " "

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which

a Hickory 7 in. dia. brang South 7 lks. dist. of

a W. Oak 6 " " " N 34° W 10 " "

Land timber &c. same as on the last mile.

East On Rand. between Sec. 8 & 17, T. 2 N., R. 2 E.

40.00 Set temp. of Sec. post

67.00 at Brook 10 lks. wide cr. S. W.

80.10 Intersected the N & S. line 6 lks. N. of the corner.

Land, timber &c. same as on the last mile.

West On true line between Sec. 8 & 17, T. 2 N., R. 2 E.

Loc. R2E, 2^d Mer. Indiana

40.05 Let q. Sec. post at av. dist. on true line from which
 an Elm 10 in. dia. bran N 19 W 8 lks. dist. of
 a Beech 8 " " " N 45 W 16 " "
 80.10 to Sec. Corner.

North Between Secs. 7 & 8, T6 N, R2 E, 2^d Mer.

40.00 Let the q. Sec. post, from which
 a Hickory 20 in. dia. bran S 20 E 29 lks. dist. of
 a Beech 10 " " " N 18 W 31 " "

40.50 at Brook 12 lks. wide Cr. S. M.

80.00 Let a post Cor. to Secs. 5, 6, 7 & 8, from which
 a Gum 12 in. dia. bran N 6 E 50 lks. dist. of
 a W. Oak 12 " " " N 30 W 21 " "
 Land, timber &c. same as on the ^{last} mile

East On Random between Secs. 5 & 8, T6 N, R2 E.

36.00 at Brook 8 lks. wide Cr. S. M.

40.00 Let temp. q. Sec. post.

78.98 Intersected the N. & S. line 30 lks. N. of the corner
 Land timber &c. same as on the last mile.

West On true line between Secs. 5 & 8, T6 N, R2 E

39.49 Let q. Sec. post at av. dist. from which
 a Beech 12 in. dia. bran East 10 lks. dist. of
 a Do 8 " " " N 88 E 150 " "

78.98 to Sec. Corner.

North Between Secs. 5 & 6, T6 N, R2 E.

12.00 at Brook 12 lks. wide Cr. S. M.

40.00 Let the q. Sec. post, from which
 a W. Oak 18 in. dia. bran S 7 E 29 lks. dist. of
 a Do 20 " " " N 63 E 29 " "

83.00 Intersected the N. boundary 722 lks. E. of corner.

West R2E, T. Mer. Indiana

Set a post Cor. to Sec. 5 & 6, from which
 a W. Oak 12 in. dia. bear S 52 E 5 lks. dist. of
 a B. Oak 15 " " " S 54 W 21 " "
 Land the same very hilly & brushy covered
 with green briars. March 25th 1814.

West Between Sec. 6 & 7, T6 N. R2E

8.00 a Brook 12 lks. wide Cr. S. W.

40.00 Set the q. Sec. post, from which
 a Hickory 6 in. dia. bear N 38 E 13 lks. dist. of
 a W. Oak 18 " " " S 62 W 34 " "

68.50 a Brook 10 lks. wide Cr. S. W.

70.50 Intersected the W. boundary 158 lks. N. of the
 Corner. Set a post Cor. to Sec. 6 & 7, from which
 a W. Oak 10 in. dia. bear N 55 E 12 lks. dist. of
 a B. Oak 10 " " " S 6 W 16 " "
 Land hilly & very brushy covered with green briars.

West Between Sec. 7 & 18, T6 N. R2E.

15.00 a Brook 10 lks. wide Course South

40.00 Set the q. Sec. post, from which
 a Hickory 12 in. dia. bear N 81 E 25 lks. dist.
 of W. Oak 12 " " " S 61 W 27 " "

68.90 Intersected the W. boundary 62 lks. N. of Corner.
 Set a post Cor. to Sec. 7 & 18, from which
 a W. Oak 20 in. dia. bear N 71 E 32 lks. dist. of
 a Do 20 " " " S 49 W 25 " "
 Land timber for same as on the last mile

West Between Sec. 18 & 19, T6 N. R2E.

40.00 Set the q. Sec. post, from which
 an Elm 10 in. dia. bear N 81 W 29 lks. dist. of
 a W. Ash 20 " " " S 18 E 27 " "

T6N - R2E, 2^d Mer. Indiana

67.56 Intersected the N. boundary 43¹/₂ lks. N. of Corner
 Set a post Cor. to Sec. 18 & 19, from which
 a W. Oak 20 in. dia. bran N 11¹/₂ E 17 " "
 a Beech 10 " " " N 10 E 17 " "
 Land timber &c. Same as on the last mile

West Between Sec. 19 & 30, T6N, R2E.

23.00 a W. Oak 20 in. dia.

40.00 Set the q. Sec. post, from which
 a Beech 18 in. dia. bran S 73 E 38 lks. dist. of
 an Ironw. 6 " " " S 17 W 14 " "

42.00 a Brook 10 lks. wide Cr. S. W.

65.71 Intersected the N. boundary 30 lks. S. of Corner.
 Set a post Cor. to Sec. 19 & 30, from which
 a W. Oak 12 in. dia. bran N 72 E 12 lks. dist. of
 a Beech 18 " " " N 20 W 4 " "
 Land timber &c. Same as on the last mile

West Between Sec. 30 & 31, T6N, R2E.

40.00 Set the q. Sec. post, from which
 a Sugar 10 in. dia. bran S 58 E 15 lks. dist. of
 a Do 20 " " " S 15 E 23 " "

64.85 Intersected the N. boundary 25 lks. S. of Corner
 Set a post Cor. to Sec. 30 & 31, from which
 a Beech 20 in. dia. bran N 34 E 16 lks. dist. of
 a Do 10 " " " S 57 W 16 " "
 Land rolling, timber Oak, Beech, Sugar &c.

March 25th 1814.

Surveyed by Arthur Hennie, D.S.

Comp?

T. 6. N. R. 2 E. 2^d. Mer. Indiana

I Certify that the foregoing transcript of field notes
of Township N. 6. N. Range N. 2 E. 2^d. Mer. Indiana
has been Comp^d. with the original notes in this office
and found to be Correct.

Surveyor General's Office
Cincinnati, Feb. 24th. 1844

E. S. Rains
Sur. Genl.